

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/090,899	03/05/2002	Faraydon O. Karim	01-LJ-014	6516
759	90 07/10/2006		EXAMINER	
Lisa K. Jorgenson, Esq.			FERRIS, DERRICK W	
STMicroelectronics, Inc. 1310 Electronics Drive		ART UNIT	PAPER NUMBER	
Carrollton, TX 75006			2616	
			DATE MAILED: 07/10/2000	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/090,899	KARIM, FARAYDON O.					
Office Action Summary	Examiner	Art Unit					
	Derrick W. Ferris	2616					
<ul> <li>The MAILING DATE of this communication app</li> <li>Period for Reply</li> </ul>	ears on the cover sheet with the c	orrespondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period v Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tirr vill apply and will expire SIX (6) MONTHS from 1. cause the application to become ABANDONEI	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 18 M	av 2006.						
	action is non-final.						
· <u> </u>	,—						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 1-26 is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) <u>21-25</u> is/are allowed.							
6)⊠ Claim(s) <u>1-4,7,9-12,15 and 17-20</u> is/are rejected.							
7) Claim(s) <u>5,6,8,13,14 and 16</u> is/are objected to.	<u> </u>						
8) Claim(s) are subject to restriction and/or							
Application Papers							
9) The specification is objected to by the Examine	r.						
10) The drawing(s) filed on is/are: a) acce		Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correct		· •					
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> </ul>							
<ol> <li>Copies of the certified copies of the prior application from the International Bureau</li> </ol>	rity documents have been receive u (PCT Rule 17.2(a)).	ed in this National Stage					
* See the attached detailed Office action for a list	of the certified copies not receive	d.					
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) B) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5)  Notice of Informal P 6) Other:	atent Application (PTO-152)					

Art Unit: 2616

#### **DETAILED ACTION**

## Response to Arguments

1. This Office action is in response to applicant's paper filed 5/18/2006. Claims 1-26 as amended are still in consideration for this application. Applicant has added claim 26.

- 2. Examiner withdraws the claim objection(s). Examiner thanks applicant for making the necessary corrections.
- 3. Examiner withdraws the obviousness rejection to *Hermann* in view of *Kalman* and corresponding rejections. The following comments fully address applicant's arguments with respect to the rejection. Applicant's arguments filed 5/18/2006 have been fully considered but they are not persuasive. In particular, *Hermann* teaches that a mesh connection (i.e., a cross data link) is between two non-adjacent nodes, see e.g., column 3, lines 45-50. *Hermann* also teaches that more than one type of mesh configuration may be used, see e.g., column 4, lines 16-21. Thus *Hermann* teaches at least four cross data links in addition to other possible types of cross connects. However, the examiner will agree that the other types of mesh configurations may not explicitly be taught by the reference. As such, the examiner has provided an additional reference that teaches that other mesh configurations are possible. One skilled in the art would further recognize that the purpose of the mesh configuration is to limit the number of hops in a network. The examiner notes that the concept of exactly four crossing data links further appears to be non-limiting by applicant's admission in filing newly added claim 26 which does not specifically recite the exact number of crossing data links.

## Claim Rejections - 35 USC § 112

4. The following is a quotation of the first paragraph of 35 U.S.C. 112:

Application/Control Number: 10/090,899

Art Unit: 2616

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Page 3

5. Claim 26 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. In particular, no support was found in applicant's specification with respect to an *even number greater than two* of the switching circuits. In particular, applicant's specification teaches eight switching circuits. In addition, the examiner notes that the further teaching of a <u>four node</u> ringed network connected in a full mesh reads on applicant's claim 26 yet may *teaches away* from applicant's specification at pages 6-7 since this creates a full mesh. Thus it appears that applicant's invention clearly does not support the proposed newly added claim 26 since neither two nor four node configurations are possible thus demonstrating that applicant was not in possession of the above claim recitation at issue at the time the application was filed.

## Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. Claims 1, 2, 3, 4, 7, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,848006 B1 to *Hermann* in view of U.S. Patent No. 6,865,149 B1 to *Kalman et al.* ("Kalman") in further view of U.S. Patent No. 5,940,367 A to *Antony*.

Art Unit: 2616

As such to **claim 1**, *Hermann* discloses e.g., in figure 1 switching circuits A-E capable of transferring data packets with each other. *Hermann* also teaches sequential data links bidirectionally coupling said switching circuits in sequence to thereby form a ring configuration as the BLSR ring 11,13, see e.g., column 3, lines 45-67. Further taught are four crossing rings as part of the mesh network. In particular, it is understood that connection 2 (i.e., the mesh connection) is by way of example, and that other nodes may be equally directly connected, see e.g., column 4, lines 17-21.

Hermann is silent or deficient to the further limitation 8 switching circuits and 8 sequential data links thus teaching an octagonal ring configuration. In particular, the example illustrated in figure 1 is for a five node network.

Kalman teaches the further recited limitation above at e.g., figure 2a.

The proposed modification of the above-applied reference(s) necessary to arrive at the claimed subject matter would be to modify *Hermann* by clarifying that it would have been obvious to use 8 nodes instead of 5 nodes.

As such, examiner notes that it would have been obvious to one skilled in the art prior to applicant's invention to include the above limitation. In particular, the motivation for modifying the reference or to combine the reference teachings would be to communicate with more nodes on the ringed network. In particular, *Kalman* cures the above-cited deficiency by illustrating that more than five nodes are used on a ringed network. Second, there would be a reasonable expectation of success since both references teach BLSR, see e.g., column 2, lines 17-26.

Art Unit: 2616

Hermann and Kalman may be silent or deficient to the further limitation of only four crossing data links. In particular, Hermann teaches that a mesh connection (i.e., a cross data link) is between two non-adjacent nodes, see e.g., column 3, lines 45-50.

Hermann also teaches that at least more than one type of mesh configuration may be used, see e.g., column 4, lines 16-21.

Antonov in combination teaches the further recited limitation above at e.g., figure 1b labeled prior art and at column 1, lines 4-37 (i.e., Antonov teaches the concept that partial mesh networks are well known in the art). In particular, note that not every node is connected to every other node creating a full mesh.

The proposed modification of the above-applied reference(s) necessary to arrive at the claimed subject matter would be to modify *Hermann* and *Kalman* by clarifying that it would have been obvious to use only four crossing data links.

As such, examiner notes that it would have been obvious to one skilled in the art prior to applicant's invention to include the above limitation. In particular, the motivation for modifying the reference or to combine the reference teachings would be to reduce costs in implementing the number of links between nodes as well as complexity. In particular, *Kalman* cures the above-cited deficiency by illustrating different bypass configurations are well known in the art.

As to **claim 2**, see e.g., figure 1a of *Hermann* where the hop distance from node a to node d is two hops based on the meshed link 2.

Application/Control Number: 10/090,899

Art Unit: 2616

As to **claim 3**, see e.g., figure 2a of *Kalman* which shows the nodes labeled from nodes 0-7. Examiner notes the same motivation applies as the rejection for the based claim.

Page 6

As to **claim 4**, each node is capable of processing the data packets by at least determining whether the packet traverses the working or protecting links.

As to claim 7, see similar rejection to claim 2.

As to claim 26, see similar rejection to claim 1.

8. Claims 9-12, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,848006 B1 to *Hermann* in view of U.S. Patent No. 6,865,149 B1 to *Kalman et al.* ("*Kalman*"), U.S. Patent No. 6,111,859 to *Godfrey et al.* ("*Godfrey*") in further view of U.S. Patent No. 5,940,367 A to *Antonv*.

As to **claim 9**, see similar rejection to claim 1 with respect to the *Hermann* and *Kalman* references.

Both *Hermann* and *Kalman* are silent or deficient to implementing the interconnect network on a system-on-chip (SOC) device.

Godfrey teaches the above motivation at e.g., column 3, lines 30-49.

Thus the examiner proposes to clarify the above rejection that it is well known in the art to implement an interconnect network on a system-on-chip (SOC) device.

Hence the examiner notes that it would have been obvious to one skilled in the art prior to applicant's invention to implement a SOC device. In particular, one skilled in the art would have been motivated to use a SOC device as part of a design choice. A further motivation would be to utilize a generic method for interconnecting multiple module

types on a single computer chip. As such, *Godfrey* teaches the above motivation at e.g., column 3, lines 47-49.

Hermann, Kalman and Godfrey may be silent or deficient to the further limitation of only four crossing data links. In particular, Hermann teaches that a mesh connection (i.e., a cross data link) is between two non-adjacent nodes, see e.g., column 3, lines 45-50. Hermann also teaches that at least more than one type of mesh configuration may be used, see e.g., column 4, lines 16-21.

Antonov in combination teaches the further recited limitation above at e.g., figure 1b labeled prior art and at column 1, lines 4-37 (i.e., Antonov teaches the concept that partial mesh networks are well known in the art). In particular, note that not every node is connected to every other node creating a full mesh.

The proposed modification of the above-applied reference(s) necessary to arrive at the claimed subject matter would be to modify *Hermann, Kalman* and *Godfrey* by clarifying that it would have been obvious to use only four crossing data links.

As such, examiner notes that it would have been obvious to one skilled in the art prior to applicant's invention to include the above limitation. In particular, the motivation for modifying the reference or to combine the reference teachings would be to reduce costs in implementing the number of links between nodes as well as complexity. In particular, *Kalman* cures the above-cited deficiency by illustrating different bypass configurations are well known in the art.

As to claim 10, see similar rejection to claim 2.

As to claim 11, see similar rejection to claim 3.

Application/Control Number: 10/090,899

Art Unit: 2616

As to claim 12, see similar rejection to claim 4.

As to claim 15, see similar rejection to claim 7.

9. Claims 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,848006 B1 to *Hermann* in view of U.S. Patent No. 6,865,149 B1 to *Kalman et al*. ("Kalman"), U.S. Patent No. 6,111,859 to *Godfrey et al*. ("Godfrey") and U.S. Patent No. 5,390,164 A to *Kremer* in further view of U.S. Patent No. 5,940,367 A to *Antonv*.

Page 8

As to claim 17, see similar rejection to claim 9 with respect to the *Hermann*, *Kalman*, and *Godfrey* references.

Hermann, Kalman, and Godfrey may be silent or deficient to a first interconnection network and a second interconnection network. In particular, the above references teach at least one interconnection network.

Kremer teaches the above limitation in e.g., figure 1.

Thus the examiner proposes to clarify the above rejection that it is well known in the art to have at least two interconnection networks.

Hence the examiner notes that it would have been obvious to one skilled in the art prior to applicant's invention to use two interconnection networks for transferring data packets between first selected ones of said plurality of processing nodes. In particular, one skilled in the art would have been motivated to have at least to interconnection networks to communicate on two separate networks. As such, *Kremer* teaches the above motivation in e.g., figure 1.

Hermann, Kalman, Kremer and Godfrey may be silent or deficient to the further limitation of only four crossing data links. In particular, Hermann teaches that a mesh

Art Unit: 2616

connection (i.e., a cross data link) is between two non-adjacent nodes, see e.g., column 3, lines 45-50. *Hermann* also teaches that at least more than one type of mesh configuration may be used, see e.g., column 4, lines 16-21.

Antonov in combination teaches the further recited limitation above at e.g., figure 1b labeled prior art and at column 1, lines 4-37 (i.e., Antonov teaches the concept that partial mesh networks are well known in the art). In particular, note that not every node is connected to every other node creating a full mesh.

The proposed modification of the above-applied reference(s) necessary to arrive at the claimed subject matter would be to modify *Hermann, Kalman, Kremer* and *Godfrey* by clarifying that it would have been obvious to use only four crossing data links.

As such, examiner notes that it would have been obvious to one skilled in the art prior to applicant's invention to include the above limitation. In particular, the motivation for modifying the reference or to combine the reference teachings would be to reduce costs in implementing the number of links between nodes as well as complexity. In particular, *Kalman* cures the above-cited deficiency by illustrating different bypass configurations are well known in the art.

As to claim 18, see similar rejection to claim 2.

As to claim 19, see similar rejection to claim 2.

As to claim 20, see e.g., figure 1 with respect to a shared node. The examiner notes the same motivation as mentioned in the rejection for the base claim.

Art Unit: 2616

## Allowable Subject Matter

10. Claims 21-25 are allowed.

11. Claims 5, 6, 8, 13, 14, and 16 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

#### Conclusion

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Derrick W. Ferris whose telephone number is (571) 272-3123. The examiner can normally be reached on M-F 9 A.M. - 4:30 P.M. E.S.T.

Art Unit: 2616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wellington Chin can be reached on (571)272-3134. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Derrick W. Ferris

Examiner

Art Unit-2616

DERRICK FERRIS
PATENT EXAMINER